DORSEY & WHITNEY LLP

REPUBLIC PLAZA BUILDING SUITE 4700 370 SEVENTEENTH STREET DENVER, COLORADO 80202-5647

FACSIMILE COVER SHEET (303) 629-3400

CROUS TOO TOU ARE NOT TON OR

MICROMATION INTENDED SOLELY FOR THE USE OF	LE MESSAGE IS LEGALLY PRIVILEGED AND CONFIDENTIAL THE PERSONS OR ENTITIES NAMED BELOW. IF YOU ARE NOT MESSAGE BELOW. ANY DISTRIBUTION, DISSEMINATION OR TRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS MESS AGE T AT (303) 629-3400
	Time:
otal Number of Pages (including this cover sheet):	9
g GO: TC1700 (After Final)	FAX #: 703-872-9311
RM NAME: U.S. Patent and Trademark Office	LOCATION: Washington, D.C.
ELEPHONE #:	
ROM: Lee R. Osman	TELEPHONE NUMBER: 303-629-3434
OMMENTS: Attorney Docket No. 5770.04 Serial No. 09/707,430 Filed: November 6, 2000 Fitle: Concentric Tubular Centrifuge Enclosed herewith: Amendment and Response to Final Office A Certificate of Facsimile Transmission (1 pag	ction (7 pages); and ge).
Driginal will be sent via (check one): : Mail PLEASE CONTACT FACSIMILE OPERATOR IS INCOMPLETE OR CANNOT BE READ.	: Messenger : Air : Courier x:Will not be sent AT (303)629-3400 IF TRANSMISSION
	Reference #3057/457529-5

PATENT Attorney Docket No. 5770.04

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Paul J. CORNAY

Appl. No. 09/707430

Filed: 6 November 2000

CONCENTRIC TUBULAR CENTRIFUGE For:

Examiner:

Art Unit:

23 TAY PRICENTED TO THE CHILLED TO T

CERTIFICATE OF FACSIMILE TRANSMISSION

Box AF Commissioner for Patents Washington, D.C. 20231

Sir:

The undersigned hereby certifies that the enclosed

- Amendment and Response to Final Office Action; and 1.
- Certificate of Facsimile Transmission, 2.

relating to the above application, were transmitted by facsimile to 703-872-9311, addressed to Box AF, Commissioner for Patents, Washington, D.C., 20231, on this 28th day of May, 2002.

May 28, 2002

May 28, 2002

Attorney for Assignee

DORSEY & WHITNEY LLP

USPTO Customer No. 20686